

Web Images Videos Maps News Shopping Gmail more ▼

Sign in

Google scholar

polyurethane sponge "gentian violet" OR "hexa Search

Advanced Scholar Search

Scholar Assistant

Scholar Articles and patents

- 2002

include citations

Create email alert

Results 1 - 10 of about 7,840. (0.17 sec)

Artificial heart in the chest and use of polyurethane for making hearts, valves and aortasR.J. Koiff, T. Akutsu, B. Dreyer, W.J. Koiff / *Journal of Applied Physiology*, 1959 - journals.elsevier.com

... On the outside of polyurethane grafts connective tissue grows into the polyurethane sponge and fuses with it. REFERENCES 1. Dreyer, B., Akutsu, T., and Koiff, W. Jr: Testing of artificial heart valves. Accepted for publication by the American Journal of Applied Physiology. ...

Cited by 33 - Related articles

A highly immunogenic tumor transfected with a murine transforming growth factor type beta 1 cDNA escapes immune surveillanceG. Torre-Arreola, J.D. Benavente, H. ... - *Proceedings of the ...* 1990 - National Acad Sciences... from 1591-N-TGF-1 cells (containing -0.3 ng of active TGF- β per ml and 10 ng of TGF- β in the ... Polyurethane sponges implanted subcutaneously and in- jected with 1591 cells accumulate

cytolytic cells that, when removed 9-12 days after implantation, are cytolytic for 1591 and ...

Cited by 317 - Related articles - All 8 versions

Late fascial closure in lieu of ventral hernia: the next step in open abdomen managementP.J. Meier, J.T. Thompson, B.J. Fajen, J.W. ... - *The Journal of ...* 2002 - journals.bww.com

... Beginning in mid 1996, a large polyurethane sponge (VAC, KCI International, San Antonio, TX) was substituted for the surgical towel in some situations. Sponge use was not applied under strict guidelines, but on the basis of attending preference. ...

Cited by 38 - Related articles - All 2 versions

Polyurethane sponges manufactured with additive dispersed thereinR.L. Strickman, M.B. Strickman / *US Patent* 4,523,698, 1982 - Google Patents

4,325,666 3.4 Household scouring pads in which the grit to resin directly to manufacture of the sponges from a prepoly. contents are of the order of 5-6-1, mer and suitable additives, a so called "one shot" ap- A household soap product having a detergent and/or proach, a ...

Cited by 13 - Related articles - All 2 versions

Polyurethane artificial heart valves in animalsT. Akutsu, B. Dreyer, W.J. Koiff / *Journal of Applied Physiology*, 1959 - Am Physiological Soc

2. Sections of a valve which do not have dome-shaped leaflets, A. open mold, side and top views. B. valve mounted in a tube. ... by six bridges (fig. 7). The space between the two rings was filled with polyurethane sponge. 7. Designed by Doctor Selwyn McCabe and made by Mr. ...

Cited by 33 - Related articles - All 2 versions

The effect of Biocell texturing and povidone-iodine irrigation on capsular contracture around saline-inflatable breast implantsB.R. Burkhart, E. Isakovic / *Plastic and reconstructive surgery*, 1995 - journals.bww.com

... rationale was the demonstrable in- growth of fibrous tissue into the spongy poly- urethane surface and the consequent "disorien- tation" of contractile forces in the capsule.8 This explanation might have been more plausible if the original polyurethane sponge implants of 40 ...

Cited by 124 - Related articles - All 2 versions

A quantitative study of the growth of connective tissue: investigations on implanted polyester-polyurethane spongesK. Paulini, B. Körner, G. Benke, R. ... - *Connective Tissue ...* 1974 - Informaworld.com

K. PAULINI, B. KÖRNER, G. BENEKE and R. ENDRES Department of Pathology II of the Center for Biology and Theoretical Medicine, University of Ulm, Germany ... (Received April 4, 1974; in final form September 5, 1974) ... A total of 57 male, 3-month old rats each ...

Cited by 117 - Related articles - All 4 versions

Foreign body reactions to polyurethane covers of some breast prosthesesW.M. COOPER, H.F. LEATHERS, J.B. ... - *Plastic and ...* 1975 - journals.bww.com

... these. EXPERIMENTAL DATA REPORTED BY OTHERS Hueper * placed polyurethane sponges into the peritoneal cavities of rats. Sar- comas and adenocarcinomas occurred at the sites where the material became ad- herent ...

Cited by 36 - Related articles - All 2 versions

Large scale production, storage and transport of the insect-parasitic nematodes Neoplectana spp. and Heterorhabditis spp.R.A. Berding / *Annals of applied biology*, 1984 - informaworld.com

... 104, No. 1 EXPLANATION OF PLATES PLATE 1. Preparation of a culture bag of Neoplectana or Heterorhabditis spp. A. Homogenized chicken offal is added to crumbled polyether polyurethane sponge. B. Homogenate is thoroughly mixed with sponge. ...

Cited by 141 - Related articles - All 3 versions

Vacuum-assisted wound closure provides early fascial reapproximation in trauma patients with open abdomensC.B. Gann, D.N. Ware, C.S. Cocroft, J.H. Duke ... - *The American Journal of ...* 2001 - Elsevier

... b Department of Anesthesia, University of Texas-Houston Medical School, Houston, TX 77030, USA. Received 31 July 2001; revised 4 September 2001. ... Fig. 2. Abdominal wall cross-section depicting polyurethane sponge placement and tubing to suction regulator. ...

Cited by 123 - Related articles - All 2 versions

 [Create email alert](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

polyurethane sponge "gentian violet"

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google